## **SPS-10**

## SOLDER PASTE SOFTENER

Standard of Solder Paste Kneading





**Inside View** 




**Control Panel** 

- Renewed the Solder Paste Softener used for many years.
- Newly up to Nine condition settings can be stored.
- Timer Setting in units of 10 seconds is possible.

## NOW RENEWED! Malcom's Solder Paste Softener

## SPECIAL FEATURES

- Stir Solder Paste to finish closely by hand stirring with Malcom's Unique Pseudo Planetary Motion combined the revolution and the rotation.
- The centrifugal force causes the solder paste repeatedly fold over itself thereby softening the paste.
- Auto Balance Function corresponds to 500g & 1kg containers.



ITEM	SPECIFICATIONS
Mixing Method	Pseudo-Planetary Motion
Rotation Speed	Main rotation: Revolution 400rpm Rotation: 1/6 of the revolution
	Auto-balance (for 3min. after starting operation): 200rpm
Centrifugal Force	Under 50kPa (0.5kgf/cm²)
Built-in Timer	10sec. ~ 60 minutes In the unit of 10sec. Setting from the panel
Memory Function	Max. 9 setting condtions
Paste Container Size	Solder Paste 500g: Container size 100cc
	1kg: Container size 300cc
Rotaion Balance	Auto Balancing
Safety Functions	Door switch and lock in operation
	Unbalanced motion detector
Power Supply	AC100, 115, 220 & 240V $\pm$ 10% 50/60Hz 30W to be specified when ordering
Weight	Approx. 23kg  schange without notice  SEIKA

The above specifications are subject to change without notice.

Soldering Process Devices LED Manufacturing Devices Representative

Los Angeles Head Office

Seika Machinery, Inc.

21241 S. Western Ave., Suite 140, Torrance, CA 90501 Main: 310-540-7310 Fax: 310-540-7930

Atlanta Office & Demo Center

1580 Boggs Rd., Suite 900, Duluth, GA 30096 Main: 770-446-3116 Fax: 770-446-3118

San Francisco Office & Demo Center 26218 Industrial Blvd., Hayward, CA 94545 Main: 510-293-0580 Fax: 510-293-0940



Malcom Company Limited 15-10, Honmachi 4-Chome, Tokyo 151-0071 Japan Tel: 81-3-3320-5611 Fax: 81-3-3320-5866

E-mail: whq@malcom.co.jp